



# WoodBeQuiet Tile

FilaSorb™ 12

acoufelt  
making quiet

# Product Detail


|                  |  |
|------------------|--|
| Product          | WoodBeQuiet Tile   |
| Surface          | Wall   |
| Surface Print    | QuietPrint™  |
| Composition      | 100% Polyester   |
| Material         | FilaSorb™  |
| Recycled Content | 60% min.   |
| Weight           | 0.49 lb/ft <sup>2</sup> +/- 10%                                |
| Dimension        | 8"W x 39"H   |
|                  | Custom size available upon request                             |
| Thickness        | 12mm   0.47" +/- 10%   |
| Mounting Methods | Adhesive Backing<br>Construction Adhesive<br>Z Clip Wall Mount |

# Technical Data

|                         |  |
|-------------------------|--|
| Fire Test Method Number | AS ISO 9705:2003 Group 1<br>ASTM E84-17a Class A |
| Indoor Air Quality      | Low VOCs emission, formaldehyde and Phenol-free  |
| Light Fastness          | ISO 105-B02 1994, 6-7                            |


# Acoustic Performance

Sound Absorption ISO 354-2006 NRC 0.45 (12mm no air gap)



| Frequency f (Hz)   | 125  | 250  | 500  | 1000 | 2000 | 4000 | NRC  |
|--------------------|------|------|------|------|------|------|------|
| 12mm a, No Air Gap | 0.06 | 0.02 | 0.23 | 0.61 | 0.89 | 0.95 | 0.45 |

# Installation Methods




# Guarantees

|                         |                    |
|-------------------------|--------------------|
| Lead Time               | Ships in 4-6 weeks |
| Light Fastness Warranty | 10 Years*          |
| Customizable            | Yes                |
|                         | * conditions apply |

# Environmental Attributes

- Declare Certification
- LCB Red List Free
- Phenol And Formaldehyde Free
- Low VOC
- CDPH Compliance
- Aligns With Building Standards



# Colorways

---



Picket Fence  
WQ01



Boat Shed  
WQ02



Wine Barrel  
WQ03



Log Cabin  
WQ04



Barn Door  
WQ05